

10. Literature Cited

- Bernstein, B.B. and N. Jung. 1979. Selective processes and co-evolution in a kelp canopy community in southern California. *Ecol. Monogr.*, 49:335-355.
- Cushing, D.H. 1975. Marine ecology and fisheries. Cambridge University Press, Cambridge, U.K. 278 pp.
- Dennis, B. 1989. Allee effects: Population growth critical density, and the chance of extinction. *Nat. Res. Modeling* 3:481-538.
- Fujino, K. 1978. Genetic studies on the Pacific abalone. I. Inbreeding and over dominance as evidenced by biochemical polymorphism in a wild population. *Bull. Jpn. Soc. Sci. Fish.* 44:357-361.
- Fujio, Y., R. Yamanaka, and P.J. Smith. 1983. Genetic variation in marine mollusks. *Bull. Jpn. Soc. Sci. Fish.* 49:1809-1817.
- Guzman-Del Proo, S., F. Salinas, O. Zavstev, J. Belmar-Perez and J. Carillo-Laguna. 2000. Potential Dispersion of Reproductive Products and Larval Stages of Abalone (*Haliotis* spp.) as a Function of the Hydrodynamics of Bahia Tortugas, Mexico. *J. of Shell. Res.* 19(2): 869-881.
- Haaker, P.L., D.O. Parker, and C.Y. Chun. 1995. Growth of black abalone, *Haliotis cracherodii* Leach, at San Miguel Island and Point Arguello, California. *J. Shellfish Res.* 14(2):519-525.
- Haaker, P.L. D.O. Parker, K.C. Barsky, and C.Y. Chun. 1998. Growth of red abalone, *Haliotis rufescens* Swainson, at Johnsons Lee, Santa Rosa Island, California. *J. Shellfish. Res.* 17(3):747-753.
- Harrison, A.J. 1986. Gastropod fisheries of the Pacific with particular reference to Australian abalone. Pages 14-22 in: G.S. Jamieson and N. Bourne (ed). North Pacific Workshop on Stock Assessment and Management of Invertebrates. Can. Spec. Publ. Fish Aquat. Sci. 92.
- Jackson, G.A. and C.D. Winant. 1983. Effect of a "kelp" forest on coastal currents. *Cont. Shelf Res.* 2:75-80.
- Karpov, K.A. and M.J. Tegner. 1992. Abalones. In: California's Living Marine Resources and Their Utilization. W.S. Leet, C.M. Dewees, and C.W. Haugen. (eds.) Sea Grant Extension Publication UCSGEP-92-12. p33-36.

- Karpov, K.A., P. Haaker, D. Albin, I.K. Taniguchi, and D. Kushner. 1998. The red abalone, *Haliotis rufescens*, In California: Importance of depth refuge to abalone management. J. Shell. Res. 17(3):863-870.
- Leighton, D.L. 1974. The influence of temperature on larval and juvenile growth in three species of southern California abalones. U.S. Natl. Mar. Fish. Serv. Fish. Bull. 72(4):1137-1145.
- Levitin, D.R., M.A. Sewell, and F.S. Chia. 1992. How distribution and abundance influence fertilization success in the sea urchin, *Strongylocentrotus franciscanus*. Ecology 73:248-254.
- McShane, P.E. 1992. Early life history of abalone: a review. Pages 120-138. In: Abalone of the World: Biology, Fisheries and Culture. S.A. Shepherd, M.J. Tegner, and S. Guzmán del Pró (eds). Abalone of the world: Biology, fisheries and culture. Blackwell Scientific, Oxford, U.K.
- McShane, P.E. and M.G. Smith. 1989. Direct Measurement of Fishing Mortality in Abalone (*Haliotis rubra*) (Leach) off Southeastern Australia. Fisheries Research, 8: 93-102.
- McShane, P.E. and M.G. Smith. 1991. Recruitment variation in sympatric populations of *Haliotis rubra* (Mollusca:Gastropoda) in southeast Australian waters. Mar. Ecol. Prog. Ser. 73:203-210.
- Mottet, M.G. 1978. A review of the fishery biology of abalones. Wash. Dep. Fish. Tech. Rep. No. 37. 81pp.
- Pitcher, T.J., and P.J.B. Hart. 1982. Fisheries ecology. AVI Publishing Company, Westport CT. 414 pp.
- Prince, J.D., T.L. Sellers, W.B. Ford and S.R. Talbot. 1987. Experimental evidence for limited dispersal of haliotid larvae (genus *Haliotis*; Mollusca: Gastropoda) J. Exp. Mar. Ecol., 106:243-263.
- Restrepo, V.R., G.G. Thompson, P.M. Mace, W.L. Gabriel, L.L. Low, A.D. MacCall, R.D. Methot, J.E. Powers, B.L. Taylor, P.R. Wade, and J.F. Witzig. 1998. Technical guidance on the use of precautionary approaches to implementing National Standard 1 of the Magnuson-Stevens Fishery Conservation and Management Act. NOAA Technical Memorandum NMFS-F/SPO, forthcoming.
- Shepherd, S.A. 1986. Studies of southern Australian abalone (genus *Haliotis*). VII.

Aggregative behavior of *H. laevigata* in relation to spawning. Marine Biology (Berlin) 90:231-236.

Shepherd, S.A. and L.D. Brown. 1993. What is an Abalone Stock: Implications for the Role of Refugia in Conservation. Can. Jour. Fish. And Aqua. Sci. 50:2001-2009.

Sluczanowski, P.R., 1984. A management oriented model of an abalone fishery whose substocks are subject to pulse fishing. Can.J. Fish. Aquat. Sci., 1:1008-1014.

Strathmann, R.R. 1990. Why life histories evolve differently in the sea. Amer. Zool. 30:197-207.

Tegner, M.J. 1992. Brood-stock transplants as an approach to stock enhancement. Pages 461-473 In: S.A. Shepherd, M.J. Tegner, and S. Guzman del Proo (eds). Abalone of the world: Biology, fisheries and culture. Blackwell Scientific, Oxford, U.K.

Tegner, M.J., P.A. Breen, and C.E. Lennert. 1989. Population biology of red abalone, *Haliotis rufescens*, in Southern California and management of the red and pink, *H. corrugata*, abalone fisheries. Fish. Bull. U.S. 87:313-339.

Valiela, I. 1984. Marine ecological processes. Springer-Verlag, Berlin. 546 pp.

Watson, J. 2000. The effects of sea otters (*Enhydra lutris*) on abalone (*Haliotis* spp.) populations. In Workshop on Rebuilding Abalone Stocks in British Columbia. Edited by A. Campbell. Can. Spec. Publ. Fish. Aquat. Sci. 130: 123-132.

Wendell, F.E. 1994. Relationship between sea otter range expansion and red abalone abundance and size distribution in central California. Calif. Fish Game. 80: 45-56.